



Issuing Date March 12, 2010

Revision Date March 11, 2010

Revision Number 12

1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name** AC-®350 Class B Base  
**Product Code(s)** AC-350 B-1/4, B-1/2, B-2, B-4, B-6, and B-12 Base  
**UN-No** Not regulated  
**Recommended Use** Sealant.  
**Company** Advanced Chemistry & Technology, Inc.  
7341 Anaconda Avenue  
Garden Grove, CA 92841  
**Company Emergency Phone Number** 714-373-2837 (8-5 Pacific time)  
**Emergency Telephone Number** Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

**CAUTION!**

**Emergency Overview**

**Appearance** White

May cause skin, eye, and respiratory tract irritation

**Physical State** Paste/Gel

**Odor** Sulphurous

**OSHA Regulatory Status** This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

**Potential Health Effects**

**Principle Routes of Exposure** Skin contact, Inhalation, Eye contact.

**Acute Toxicity**

**Eyes**

Contact with eyes may cause irritation.

**Skin**

May cause irritation.

**Inhalation**

May cause irritation of respiratory tract.

**Ingestion**

Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Chronic Effects**

Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons.

**Main Symptoms**

Redness.

**Aggravated Medical Conditions**

Skin disorders. Liver disorders. Kidney disorders. Allergies.

**Environmental Hazard**

See Section 12 for additional Ecological Information.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No	Weight %
Calcium carbonate	471-34-1	15 - 20
Titanium dioxide	13463-67-7	0.5 - 1
Phenol	108-95-2	0 - 0.03
Formaldehyde	50-00-0	0 - 0.01

**4. FIRST AID MEASURES**

<b>Eye Contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Get medical attention immediately if symptoms occur.
<b>Skin Contact</b>	Wash skin with soap and water.
<b>Inhalation</b>	Administer oxygen if breathing is difficult and you are trained. Apply artificial respiration if victim is not breathing.
<b>Ingestion</b>	Do not induce vomiting without medical advice. Consult a physician.
<b>Notes to Physician</b>	Treat symptomatically.

**5. FIRE-FIGHTING MEASURES**

<b>Flash Point Method</b>	> 93 °C / > 200 °F Closed cup
<b>Suitable Extinguishing Media</b>	Use: Water spray. Carbon dioxide (CO <sub>2</sub> ). Dry chemical.
<b>Hazardous Combustion Products</b>	Carbon monoxide, Carbon dioxide (CO <sub>2</sub> ), Sulfur oxides, Nitrogen oxides (NOx), Aldehydes.
<b>Explosion Data</b>	
<b>Sensitivity to Mechanical Impact</b>	Not impact sensitive.
<b>Sensitivity to Static Discharge</b>	Not sensitive.
<b>Protective Equipment and Precautions for Firefighters</b>	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
<b>NFPA</b>	<b>Health Hazard</b> 1 <b>Flammability</b> 1 <b>Stability</b> 0 <b>Physical and Chemical Hazards</b> N/A

**6. ACCIDENTAL RELEASE MEASURES**

<b>Personal Precautions</b>	Avoid contact with the skin and the eyes. Use personal protective equipment. Ensure adequate ventilation. Refer to Section 8.
<b>Methods for Containment</b>	Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).
<b>Methods for Cleaning Up</b>	Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.



**Conditions to Avoid** Keep away from children.

**Hazardous Decomposition Products** Carbon oxides. Nitrogen oxides (NOx). Sulfur oxides.

**Hazardous Polymerization** Hazardous polymerization does not occur.

## 11. TOXICOLOGICAL INFORMATION

### Acute Toxicity

**Product Information** The product itself has not been tested. May be harmful if swallowed.

**Irritation** Moderately irritating to eyes, skin and respiratory system.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Calcium carbonate	6450 mg/kg ( Rat )		
Titanium dioxide	10000 mg/kg ( Rat )		
Phenol	317 mg/kg ( Rat )	525 mg/kg ( Rat ) 630 mg/kg ( Rabbit )	
Formaldehyde	100 mg/kg ( Rat )	270 mg/kg ( Rabbit )	0.578 mg/L ( Rat ) 4 h 250 ppm ( Rat ) 4 h

### Chronic Toxicity

**Chronic Toxicity** Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen. This product contains titanium dioxide which is classified as a possible carcinogen when present as respirable dust. This is not relevant for this product since it is a liquid.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium dioxide		Group 2B		X
Formaldehyde	A2	Group 1	Reasonably Anticipated	X

#### **IARC: (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

**Sensitization** May cause sensitization of susceptible persons.

**Target Organ Effects** Liver, Kidney, Skin.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

This product contains an ingredient that is classified, according to European regulations, as "harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment".

Chemical Name	Toxicity to Algae	Toxicity to Fish	Microtox	Daphnia Magna (Water Flea)
Phenol	EC50 = 150 mg/L 96 h	LC50 5 - 12 mg/L Oncorhynchus mykiss 96 h LC50= 23.88 mg/L Lepomis macrochirus 96 h LC50= 24 mg/L Pimephales promelas 96 h LC50= 27.8 mg/L Brachydanio rerio 96 h LC50= 40 mg/L Poecilia reticulata 96 h LC50= 8.9 mg/L Oncorhynchus mykiss 96 h	EC50 21 - 36 mg/L 30 min EC50 = 23.28 mg/L 5 min EC50 = 25.61 mg/L 15 min EC50 = 28.8 mg/L 5 min EC50 = 31.6 mg/L 15 min	LC50 = 13 mg/L 48 h EC50 = 23.0 mg/L 48 h
Formaldehyde		LC50= 0.10 mg/L Lepomis macrochirus 96 h LC50= 24.1 mg/L Pimephales promelas 96 h LC50= 41 mg/L Brachydanio rerio 96 h	EC50 = 1.2 mg/L 1 h EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min EC50 = 7.26 mg/L 15 min EC50 = 9.0 mg/L 5 min	EC50 = 2 mg/L 48 h EC50 = 20 mg/L 96 h

Chemical Name	Log Pow
Phenol	= 1.47
Formaldehyde	= 0.35 25 °C

## 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Method** Dispose of contents/container in accordance with local regulation.

Chemical Name	California Hazardous Waste Status
Phenol	Toxic; Corrosive
Formaldehyde	Toxic; Ignitable

## 14. TRANSPORT INFORMATION

**DOT** Not regulated  
**UN-No** Not regulated  
**IATA** Not regulated  
**IMDG/IMO** Not regulated

## 15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL	Does not Comply
EINECS/ELINCS	Does not Comply
ENCS	Does not Comply
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

U.S. Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Phenol	108-95-2	0 - 0.03	1.0
Formaldehyde	50-00-0	0 - 0.01	0.1

**SARA 311/312 Hazard Categories**

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

**Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Phenol 108-95-2 ( 0 - 0.03 )	1000 lb	X	X	X
Formaldehyde 50-00-0 ( 0 - 0.01 )	100 lb			X

Chemical Name	CAS-No	Weight %	HAPS data	VOC Chemicals	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Phenol	108-95-2	0 - 0.03	Present	Group III		
Formaldehyde	50-00-0	0 - 0.01	Present	Group I		

**CERCLA**

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Phenol	1000 lb	1000 lb
Formaldehyde	100 lb	100 lb

U.S. State Regulations

**California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	CAS-No	California Prop. 65
Formaldehyde	50-00-0	Carcinogen

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Calcium carbonate	X		X		X
Titanium dioxide	X	X	X		X
Phenol	X	X	X	X	X
Formaldehyde	X	X	X	X	X

**International Regulations****Mexico - Grade**

Slight risk, Grade 1

Chemical Name	Carcinogen Status	Exposure Limits
Calcium carbonate		Mexico: TWA= 10 mg/m <sup>3</sup>
Titanium dioxide		Mexico: TWA= 10 mg/m <sup>3</sup>
Phenol		Mexico: TWA= 5 ppm Mexico: TWA= 19 mg/m <sup>3</sup>
Formaldehyde	A2	

**Canada**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.



**WHMIS Hazard Class**

D2A Very toxic materials  
D2B Toxic materials



Chemical Name	NPRI
Phenol	X
Formaldehyde	X

## 16. OTHER INFORMATION

NFPA	HMIS	PPE	Transport Symbol						
	<table border="1"> <tr> <td data-bbox="508 201 716 239">Health Hazard</td> <td data-bbox="724 201 797 239">1</td> </tr> <tr> <td data-bbox="508 249 716 287">Fire Hazard</td> <td data-bbox="724 249 797 287">1</td> </tr> <tr> <td data-bbox="508 298 716 336">Reactivity</td> <td data-bbox="724 298 797 336">0</td> </tr> </table>	Health Hazard	1	Fire Hazard	1	Reactivity	0		Not regulated
Health Hazard	1								
Fire Hazard	1								
Reactivity	0								

Prepared By David Jordan  
 Director of R&D

Issuing Date March 12, 2010

Revision Date March 11, 2010

Revision Note (M)SDS sections updated. 3. 11. 15. 16.

**Disclaimer**  
 The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of MSDS**