



Issuing Date April 15, 2010

Revision Date April 14, 2010

Revision Number 03

1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name** AC-®380 Catalyst  
**Product Code(s)** AC-380 Catalyst  
**UN-No** Not regulated  
**Recommended Use** Hardener .  
**Company** Advanced Chemistry & Technology, Inc.  
7341 Anaconda Avenue  
Garden Grove, CA 92841  
**Company Emergency Phone Number** 714-373-2839 (8 AM to 5 PM Pacific Time)  
**Emergency Telephone Number** Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

**CAUTION!**

**Emergency Overview**

May be harmful if inhaled  
May cause skin, eye, and respiratory tract irritation  
May be harmful if swallowed

**Appearance** Black

**Physical State** Viscous liquid

**Odor** Slight

**OSHA Regulatory Status** This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

**Potential Health Effects**

**Principle Routes of Exposure** Eye contact, Skin contact, Ingestion.

**Acute Toxicity**

**Eyes**

May cause slight irritation.

**Skin**

Substance may cause slight skin irritation.

**Inhalation**

May cause irritation of respiratory tract.

**Ingestion**

May be harmful if swallowed.

**Chronic Effects**

Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons.

**Main Symptoms**

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

**Aggravated Medical Conditions**

Liver disorders. Kidney disorders. Central nervous system.

**Interactions with Other Chemicals**

No information available.

**Environmental Hazard**

May cause long-term adverse effects in the aquatic environment.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Manganese dioxide	1313-13-9	45 - 50
Hydrogenated terphenyls	61788-32-7	35 - 40
Terphenyls	26140-60-3	1 - 5
Carbon black	1333-86-4	0.2 - 1.0

**Additional Notes** All components of this product are listed in the EINECS/ELINCS or are exempt.

### 4. FIRST AID MEASURES

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.

**Skin Contact** Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician. Remove and wash contaminated clothing before re-use.

**Inhalation** Move to fresh air. If symptoms persist, call a physician. If breathing is irregular or stopped, administer artificial respiration.

**Ingestion** Do not induce vomiting without medical advice. Consult a physician. Never give anything by mouth to an unconscious person.

**Notes to Physician** Treat symptomatically.

**Protection of First-aiders** Avoid contact with skin, eyes and clothing.

### 5. FIRE-FIGHTING MEASURES

**Flash Point** > 110 °C / > 230 °F  
**Method** Closed cup

**Suitable Extinguishing Media** Dry chemical, CO<sub>2</sub>, water spray or alcohol-resistant foam.

**Hazardous Combustion Products** Carbon oxides, Carbon monoxide, Carbon dioxide (CO<sub>2</sub>).

**Explosion Data**

<b>Sensitivity to Mechanical Impact</b>	Not sensitive.
<b>Sensitivity to Static Discharge</b>	Not sensitive.

**Specific Hazards Arising from the Chemical**  
 In the event of fire and/or explosion do not breathe fumes. Do not allow run-off from fire fighting to enter drains or water courses.

**Protective Equipment and Precautions for Firefighters** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**NFPA**                      **Health Hazard** 1                      **Flammability** 1                      **Stability** 0                      **Physical and Chemical Hazards** N/A

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions</b>	Avoid contact with skin, eyes and clothing.
<b>Methods for Containment</b>	Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).
<b>Methods for Cleaning Up</b>	Prevent product from entering drains. Take up mechanically and collect in suitable container for disposal. Use personal protective equipment.

## 7. HANDLING AND STORAGE

<b>Handling</b>	Wear personal protective equipment. Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use.
<b>Storage</b>	Keep tightly closed in a dry and cool place. Keep away from heat and sources of ignition. Keep at temperatures below 28°C.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Manganese dioxide 1313-13-9	TWA: 0.2 mg/m <sup>3</sup>	(vacated) Ceiling: 5 mg/m <sup>3</sup> Ceiling: 5 mg/m <sup>3</sup>	IDLH: 500 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>
Hydrogenated terphenyls 61788-32-7	TWA: 0.5 ppm	(vacated) TWA: 0.5 ppm (vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 0.5 ppm TWA: 5 mg/m <sup>3</sup>
Terphenyls 26140-60-3		(vacated) Ceiling: 0.5 ppm (vacated) Ceiling: 5 mg/m <sup>3</sup> Ceiling: 1 ppm Ceiling: 9 mg/m <sup>3</sup>	IDLH: 500 mg/m <sup>3</sup>
Carbon black 1333-86-4	TWA: 3.5 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup> (vacated) TWA: 3.5 mg/m <sup>3</sup>	IDLH: 1750 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> TWA: 3.5 mg/m <sup>3</sup>

<b>Engineering Measures</b>	Showers Eyewash stations Ventilation systems.
<b>Personal Protective Equipment</b>	
<b>Eye/Face Protection</b>	Safety glasses with side-shields.
<b>Skin and Body Protection</b>	Wear protective gloves/clothing. Wear latex or Nitrile gloves.
<b>Respiratory Protection</b>	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.
<b>Hygiene Measures</b>	Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Black	<b>Odor</b>	Slight
<b>Physical State</b>	Viscous liquid	<b>pH</b>	Not applicable
<b>Flash Point</b>	> 110 °C / > 230 °F	<b>Method</b>	Closed cup

<b>Autoignition Temperature</b>	No information available	<b>Boiling Point/Range</b>	Not applicable
<b>Explosion Limits</b>	No information available	<b>Flammability Limits in Air</b>	No information available
<b>Specific Gravity</b>	1.58	<b>Solubility</b>	Slightly soluble
<b>Evaporation Rate</b>	No information available	<b>Vapor Pressure</b>	No information available
<b>Vapor Density</b>	Heavier than air	<b>Weight per Gallon (lbs)</b>	13.2
<b>Actual VOC (lb/gal)</b>	0	<b>EPA VOC (lb/gal)</b>	0
<b>EPA VOC (g/l)</b>	0		

## 10. STABILITY AND REACTIVITY

<b>Stability</b>	Stable.
<b>Incompatible Products</b>	Acids. Strong reducing agents.
<b>Conditions to Avoid</b>	Excessive heat.
<b>Hazardous Decomposition Products</b>	Carbon oxides. Nitrogen oxides (NOx). Thermal decomposition can lead to release of irritating gases and vapors.
<b>Hazardous Reactions</b>	None under normal processing.
<b>Hazardous Polymerization</b>	Hazardous polymerization does not occur.

## 11. TOXICOLOGICAL INFORMATION

### Acute Toxicity

**Product Information** Product does not present an acute toxicity hazard based on known or supplied information.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Manganese dioxide	9000 mg/kg ( Rat )		
Hydrogenated terphenyls	10200 mg/kg ( Rat )	6800 mg/kg ( Rabbit )	4.3 mg/L ( Rat ) 4 h
Terphenyls		12500 mg/kg ( Rabbit )	
Carbon black	15400 mg/kg ( Rat )	3 g/kg ( Rabbit )	

### Chronic Toxicity

**Chronic Toxicity** Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Carbon black		Group 2B		X

### **IARC: (International Agency for Research on Cancer)**

Group 2B - Possibly Carcinogenic to Humans

**Target Organ Effects** Liver, Kidney, Skin, Central nervous system (CNS).

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

The environmental impact of this product has not been fully investigated. May cause long-term adverse effects in the aquatic environment.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Microtox	Daphnia Magna (Water Flea)
Hydrogenated terphenyls	EC50 > 0.53 mg/L 96 h	LC50> 0.53 mg/L Lepomis macrochirus 96 h LC50> 0.53 mg/L Oncorhynchus mykiss 96 h LC50> 0.53 mg/L Pimephales promelas 96 h		EC50 = 0.011 mg/L 48 h
Terphenyls	EC50 = 0.02 mg/L 96 h	LC50> 0.11 mg/L Lepomis macrochirus 96 h LC50> 0.11 mg/L Oncorhynchus mykiss 96 h LC50> 0.11 mg/L Pimephales promelas 96 h		EC50 > 0.11 mg/L 48 h
Carbon black				EC50 > 5600 mg/L 24 h

**Persistence and Degradability** No data is available on the product itself.

Chemical Name	Log Pow
Manganese dioxide	< 0 20 °C

## 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Method** Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of in accordance with local regulations.

## 14. TRANSPORT INFORMATION

**DOT** Not regulated  
**UN-No** Not regulated

**IATA** Not regulated

**IMDG/IMO** Not regulated

## 15. REGULATORY INFORMATION

**International Inventories**

<b>TSCA</b>	Listed
<b>DSL</b>	Listed
<b>EINECS/ELINCS</b>	Not Listed
<b>ENCS</b>	Not Listed
<b>IECSC</b>	Listed
<b>KECL</b>	Listed
<b>PICCS</b>	Not Listed
<b>AICS</b>	Listed

**U.S. Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Manganese dioxide	1313-13-9	45 - 50	1.0

**SARA 311/312 Hazard Categories**

<b>Acute Health Hazard</b>	No
<b>Chronic Health Hazard</b>	Yes
<b>Fire Hazard</b>	No
<b>Sudden Release of Pressure Hazard</b>	No
<b>Reactive Hazard</b>	No

**Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)**

This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act:

Chemical Name	CAS-No	Weight %	HAPS data	VOC Chemicals	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Manganese dioxide	1313-13-9	45 - 50	Present (includes any unique chemical substance that contains Manganese as part of its infrastructure)			

**CERCLA****U.S. State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	CAS-No	California Prop. 65
Carbon black	1333-86-4	Carcinogen



**Revision Note**

(M)SDS sections updated. 1. 15. 16.

**Disclaimer**

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of MSDS**