



Issuing Date March 2, 2010

Revision Date March 1, 2010

Revision Number 00

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name AC-®736 Catalyst
Product Code(s) AC-736 Catalyst
UN-No Not regulated
Recommended Use Hardener .
Company Advanced Chemistry & Technology, Inc.
7341 Anaconda Avenue
Garden Grove, CA 92841
Company Emergency Phone Number 714-373-2839 (8 AM to 5 PM Pacific)
Emergency Telephone Number Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

CAUTION!

Emergency Overview

May be harmful if swallowed

May be harmful if inhaled

May cause skin, eye, and respiratory tract irritation

Appearance Dark brown, Viscous liquid

Physical State Viscous liquid

Odor Slight

OSHA Regulatory Status This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Potential Health Effects

Principle Routes of Exposure Eye contact, Skin contact, Ingestion.

Acute Toxicity

Eyes

May cause slight irritation.

Skin

Substance may cause slight skin irritation.

Inhalation

May cause irritation of respiratory tract.

Ingestion

May be harmful if swallowed.

Chronic Effects

Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons.

Main Symptoms

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Aggravated Medical Conditions

Liver disorders. Kidney disorders. Central nervous system.

Interactions with Other Chemicals

No information available.

Environmental Hazard

May cause long-term adverse effects in the aquatic environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Manganese dioxide	1313-13-9	45 - 50
Hydrogenated terphenyls	61788-32-7	35 - 40
Terphenyls	26140-60-3	1 - 5

Additional Notes All components of this product are listed in the EINECS/ELINCS or are exempt.

4. FIRST AID MEASURES

Eye Contact	If eye irritation persists, consult a specialist. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	If skin irritation persists, call a physician. Wash off immediately with soap and plenty of water. Remove and wash contaminated clothing before re-use.
Inhalation	Move to fresh air. If symptoms persist, call a physician. If breathing is irregular or stopped, administer artificial respiration.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting without medical advice. Consult a physician.
Notes to Physician	Treat symptomatically.
Protection of First-aiders	Avoid contact with skin, eyes and clothing.

5. FIRE-FIGHTING MEASURES

Flash Point	> 110 °C / > 230 °F
Method	Closed cup
Suitable Extinguishing Media	Dry chemical, CO ₂ , water spray or alcohol-resistant foam.
Uniform Fire Code	• Combustible Liquid: III-B
Hazardous Combustion Products	Carbon oxides, Carbon monoxide, Carbon dioxide (CO ₂).
Explosion Data	
Sensitivity to Mechanical Impact	Not sensitive.
Sensitivity to Static Discharge	Not sensitive.
Specific Hazards Arising from the Chemical	In the event of fire and/or explosion do not breathe fumes. Do not allow run-off from fire fighting to enter drains or water courses.
Protective Equipment and Precautions for Firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
NFPA	Health Hazard 1 Flammability 1 Stability 0 Physical and Chemical Hazards N/A

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Avoid contact with skin, eyes and clothing.
Methods for Containment	Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).
Methods for Cleaning Up	Prevent product from entering drains. Take up mechanically and collect in suitable container for disposal. Use personal protective equipment.

7. HANDLING AND STORAGE

Handling	Wear personal protective equipment. Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use.
Storage	Keep tightly closed in a dry and cool place. Keep away from heat and sources of ignition. Keep at temperatures below 28°C.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Manganese dioxide 1313-13-9	TWA: 0.2 mg/m ³	(vacated) Ceiling: 5 mg/m ³ Ceiling: 5 mg/m ³	IDLH: 500 mg/m ³ TWA: 1 mg/m ³ STEL: 3 mg/m ³
Hydrogenated terphenyls 61788-32-7	TWA: 0.5 ppm	(vacated) TWA: 0.5 ppm (vacated) TWA: 5 mg/m ³	TWA: 0.5 ppm TWA: 5 mg/m ³
Terphenyls 26140-60-3		(vacated) Ceiling: 0.5 ppm (vacated) Ceiling: 5 mg/m ³ Ceiling: 1 ppm Ceiling: 9 mg/m ³	IDLH: 500 mg/m ³

Engineering Measures	Showers Eyewash stations Ventilation systems.
Personal Protective Equipment	
Eye/Face Protection	Safety glasses with side-shields.
Skin and Body Protection	Wear protective gloves/clothing. Wear latex or Nitrile gloves.
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.
Hygiene Measures	Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Dark brown Viscous liquid	Odor	Slight
Physical State	Viscous liquid	pH	Not applicable
Flash Point	> 110 °C / > 230 °F	Method	Closed cup
Autoignition Temperature	No information available	Boiling Point/Range	Not applicable

Explosion Limits	No information available	Flammability Limits in Air	No information available
Specific Gravity	1.58	Solubility	Slightly soluble
Evaporation Rate	No information available	Vapor Pressure	No information available
Vapor Density	Heavier than air	Weight per Gallon (lbs)	13.2
Actual VOC (lb/gal)	0	EPA VOC (lb/gal)	0
EPA VOC (g/l)	0		

10. STABILITY AND REACTIVITY

Stability	Stable.
Incompatible Products	Acids. Strong reducing agents.
Conditions to Avoid	Excessive heat.
Hazardous Decomposition Products	Carbon oxides. Nitrogen oxides (NOx). Thermal decomposition can lead to release of irritating gases and vapors.
Hazardous Reactions	None under normal processing.
Hazardous Polymerization	Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Manganese dioxide	9000 mg/kg (Rat)		
Hydrogenated terphenyls	10200 mg/kg (Rat)	6800 mg/kg (Rabbit)	4.3 mg/L (Rat) 4 h
Terphenyls		12500 mg/kg (Rabbit)	

Chronic Toxicity

Chronic Toxicity Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons.

Carcinogenicity Contains no ingredient listed as a carcinogen.

Target Organ Effects Liver, Kidney, Skin, Central nervous system (CNS).

12. ECOLOGICAL INFORMATION

Ecotoxicity

May cause long-term adverse effects in the aquatic environment. The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Microtox	Daphnia Magna (Water Flea)
Hydrogenated terphenyls	EC50 > 0.53 mg/L 96 h	LC50> 0.53 mg/L Lepomis macrochirus 96 h LC50> 0.53 mg/L Oncorhynchus mykiss 96 h LC50> 0.53 mg/L Pimephales promelas 96 h		EC50 = 0.011 mg/L 48 h
Terphenyls	EC50 = 0.02 mg/L 96 h	LC50> 0.11 mg/L Lepomis macrochirus 96 h LC50> 0.11 mg/L Oncorhynchus mykiss 96 h LC50> 0.11 mg/L Pimephales promelas 96 h		EC50 > 0.11 mg/L 48 h

Persistence and Degradability No data is available on the product itself.

Chemical Name	Log Pow
Manganese dioxide	< 0 20 °C

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

DOT Not regulated
UN-No Not regulated

IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL	Complies
EINECS/ELINCS	Does not Comply
ENCS	Does not Comply
IECSC	Complies
KECL	Complies
PICCS	Does not Comply
AICS	Complies

U.S. Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Manganese dioxide	1313-13-9	45 - 50	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act:

Chemical Name	CAS-No	Weight %	HAPS data	VOC Chemicals	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Manganese dioxide	1313-13-9	45 - 50	Present (includes any unique chemical substance that contains Manganese as part of its infrastructure)			

CERCLA**U.S. State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Manganese dioxide		X	X	X	
Hydrogenated terphenyls	X		X		
Terphenyls	X	X	X		

International Regulations

Mexico - Grade Slight risk, Grade 1

Chemical Name	Carcinogen Status	Exposure Limits
Manganese dioxide		Mexico: TWA= 0.2 mg/m ³
Hydrogenated terphenyls		Mexico: TWA= 0.5 ppm Mexico: TWA= 5 mg/m ³
Terphenyls		Mexico: Ceiling= 0.5 ppm

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class
D2B Toxic materials



Chemical Name	NPRI
Manganese dioxide	X

16. OTHER INFORMATION

NFPA	HMIS	PPE	Transport Symbol						
	<table border="1"> <tr> <td>Health Hazard</td> <td style="text-align: center;">1</td> </tr> <tr> <td>Fire Hazard</td> <td style="text-align: center;">1</td> </tr> <tr> <td>Reactivity</td> <td style="text-align: center;">0</td> </tr> </table>	Health Hazard	1	Fire Hazard	1	Reactivity	0		Not regulated
Health Hazard	1								
Fire Hazard	1								
Reactivity	0								

Prepared By David Jordan
Director of R&D

Issuing Date March 2, 2010

Revision Date March 1, 2010

Revision Note (M)SDS sections updated. Initial Release.

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS